(1015, 025 Incoming) #4164



September 4, 2012

RECEIVED
SEP 0 7 2012

Utah Division of Oil, Gas, and Mining Coal Program 1594 West North Temple, Suite 1210 P.O. Box 145801 Salt Lake City, Utah 84114-5801

DIV. OF OIL, GAS & MINING

Subject: Permit Amendment Submittal Hydrology Monitoring Plan.
Deficiency List Task No. 4144
Castle Valley Mining LLC, C/015/0025

To whom it may concern,

Castle Valley Mining LLC located in Huntington, Utah would like to submit a revised hydrology monitoring amendment to permit number C/015/0025. This package includes notarized C1C2 forms, three copies of redline version of changes to the MRP as well as five final copies for insertion into the MRP for your review. Please review and provide us with your comments.

The attached proposed changes to the MRP reflect a change in the inactive monitoring locations. The following are the current locations: FC-2, 3, 4, 6, 7, 8, and SMH-5 are currently inactive on Chapter 7 table 7-14 of the MRP. Chapter 7 table 7-14 specifies activation of these locations when mining in the area sited. SBC-18, 20, 21, 22, and SCC-2 are specified activation within 500' of mining in the area. Castle Valley Mining will be mining in these areas soon or in the near future and propose activating them at this time.

Deficiency R645.301-731.224-

The Division will receive Timeline notification as well as weekly reports as specified in the MRP 7-14 & 7-50 when these areas will be undermined. The time line will be sent to the Division Hydrologist via e-mail.

Deficiency R645.301-731.224-

As suggested by the Division Castle Valley Mining would like to amend Chapter 7 7-60A of the MRP. Surface water site SBC-20 does not have a water right associated with it and the flow data does not show a consistent flow. The Division recommended that the weekly monitoring is not necessary and could be removed from the narrative text. Castle Valley Mining proposes this removal of text.

Deficiency R645.301-512.110-

Plates 5-1A, 5-1B, and 5-1C, the Blind seam, Hiawatha Seam and the Tank Seam maps in the MRP are current as of this point. They may change in the future and the Division will be notified and sent new copies of the plates. As per conversation with April Abate it was determined that these plates need not be submitted at this time.

In addition, attached proposed changes to the MRP reflect a change in the Surface water quality parameter list. Chapter 7 table 7-17 of the MRP does not include Dissolved Oxygen as part of the Laboratory measurements. Castle Valley Mining LLC was asked by the Division to add this analysis to their lab results and propose adding this at this time.

Any questions please feel free to contact me (435) 687 5454

Sincerely,

Jaren Jorgensen Engineer Tech

APPLICATION FOR COAL PERMIT PROCESSING

Permit Change New Permit Renewal Exploration Bond Release Transfer Transfer											
Permittee:	Castle Valley Mining LLC		G/045/0005								
Mine:	Bear Canyon Mine	Permit Number:	C/015/0025								
Title:	Water Monitoring Amendment										
Description	Description , Include reason for application and timing required to implement:										
_	Activation of water monitoring locations										
	s: If you answer yes to any of the first eight questions, this application	may require Public Notice	nublication								
Yes No			increase decrease.								
Yes X No											
Yes X No											
Yes No											
Yes X No			ation bond?								
Yes X No											
Yes X No											
Yes X No		y or 300 feet of an occupie	d dwelling?								
Yes X No		and or policies?									
Yes X No	Explain:										
Yes X No											
Yes X No											
Yes X No											
Yes X No			ed area?								
Yes X No			tivities?								
Yes X No											
X Yes No											
Yes X No											
Yes X No											
Yes X No											
Yes X No											
Yes X No											
Yes X No											
	three (3) review copies of the application. If the mine is on or adja	acent to Forest Service lai	nd please submit four								
(4) copies, th	ank you. (These numbers include a copy for the Price Field Office)										
I hereby certify the	hat I am a responsible official of the applicant and that the information contained in this a	application is true and correct to the	ne best of my information								
and belief in all r	espects with the laws of Utah in reference to commitments, undertakings, and obligations	s, herein.									
Jaren Jorgens	sen Engineer Tech 95/2012 AB	En TO LEVE	N								
Print Name		tight-click above choose certify the	en have notary sign below)								
Subscribed and s	worm to before me this 5 day of 5ept. , 2012	NOTAR	Y PUBLIC								
Notary Public:	, state of Utah.	JENENE	HANSEN n No. 654323								
	1 4-17-2016	Commiss	ion Expires								
My commission (Commission Nur	expires:	APRIL	17, 2016								
Address:	51 N main	STATE	OF UTAH								
City: Hun	ting ten State: W Zip: 84528										
		ed Tracking Received	by Oil, Gas & Mining								
For Office Use		umber:	by On, Gas & Mining								

APPLICATION FOR COAL PERMIT PROCESSING Detailed Schedule Of Changes to the Mining And Reclamation Plan

Permittee:	Castle Val	ley N	Aining LLC	C	- 0/015/0025					
Mine:	Bear Cany			ermit Number: L	C/015/0025					
Title:	Water Mo	nitor	ing Ameno	lment	······································					
Provide a detailed listing of all changes to the Mining and Reclamation Plan, which is required as a result of this proposed permit application. Individually list all maps and drawings that are added, replaced, or removed from the plan. Include changes to the table of contents, section of the plan, or other information as needed to specifically locate, identify and revise the existing Mining and Reclamation Plan. Include page, section and drawing number as part of the description.										
				DESCRIPTION OF MAP, TEXT, OR MAT	TERIAL TO BE CH	ANGED				
Add			Remove	Chapter 7 Page 7-53						
Add				Chapter 7 Page 7-59						
Add			Remove	Chapter 7 Page 7-60A						
Add	Replace		Remove							
Add	Replace		Remove							
Add	Replace		Remove							
Add	Replace		Remove							
Add	Replace		Remove							
Add	Replace		Remove							
Add	Replace		Remove							
Add	Replace		Remove							
Add	Replace		Remove							
Add	Replace		Remove							
Add	Replace		Remove	***************************************						
Add	Replace		Remove							
Add	Replace		Remove			*****				
Add	Replace		Remove							
Add	Replace		Remove							
Add	Replace		Remove							
Add	Replace		Remove							
Add	Replace									
Add	Replace		Remove							
Add	Replace	Ē	Remove							
	Replace	Ē	Remove							
Add	Replace		•							
Add	Replace	F	_							
Add	Replace									
Add	Replace	Ē	-							
	Any other specific or special instruction required for insertion of this proposal into the Mining and Reclamation Plan.									
Mining and	i Keciamatio	n Pi	an.	•						

Table 7-14 Water Monitoring Matrix: Operational Phase of Mining

Location		Status	Jan Feb	Mar May	June	July	Aug ³	Sept	Oct	Nov	Dec
Streams		Julius .	140	1	1	1 200 1		1000	001	1407	<u> </u>
BC-1	(Upper Bear Creek)	Active	oper	oper.			орет.	T	oper.	F	
BC-2	(Lower Bear Creek)	Active	oper	oper.			орет.		oper.		
BC-3	(Lower Rt Fork Bear Creek)	Active	oper	oper.		Ш	oper.		орет.		
BC-4	(Upper Rt Fork Bear Creek)	Active	oper	oper.	<u> </u>	\sqcup	орст.		орет.		
CK-1	(Upper Cedar Creek)	Active	oper	oper.	↓		oper.	Ш	орет.		
CK-2	(Lower Cedar Creek)	Active	oper	oper.	↓		oper. field		oper.		_
MH-1	(Lower McCadden Hollow Creek)	Inactive - Initiate if mining in Lease U 46481 or U-024316		field	1		пена		field		
MH-2	(Upper McCadden Hollow Creek)	Inactive - Initiate if mining in Lease U 46481 or U-024316		field ⁵			field		field		
FC-1	(Lower Left Fork Fish Creek) ⁷	Active		field			field		field		
FC-2	(Lower Right Fork Fish Creek) ⁷	Inactive; initiate when mining T161 R8E Sees 20 or 17		field			field		field		
FC-3	(Right Fork Fish Creek Property Line) ⁷	Inactive; initiate when mining T16N RSE Sees 17 or 18		field ⁵			field		field		
FC-4	(Upper Right Fork Fish Creek) ³	Inactive; initiate when mining T16h RSE Sees 7 or 18		field		Ш	field		field		
FC-5	(Mud Spring) ⁷	Inactive; initiate when mining T16N RSE Sec 7		field			field		field		
FC-6 FC-7	(Upper Left Fork Fish Creek) ⁷	Inactive; initiate when mining T16) R8E Sees 18, 19 or 20 Inactive; initiate when mining T16)	<u> </u>	field ^a field ^a	<u> </u>		field field		field		
<u> </u>	(Water Right Upper Left Fork Fish Creek)	R8E Sees 18, 19 or 20						Ш			L.
FC-8	(Water Right Upper Left Fork Fish Creek)	Inactive; initiate when mining T16N RSE Sees 18, 19 or 20		field		Ш	field		field		
Springs 4		*t1		1 1 05							
SBC-4	(Big Bear Springs) ⁴	Active	oper	oper.	—	\vdash	oper.	\vdash	oper.	ļ	L
SBC-5	(Birch Spring) ⁴	Active	oper	oper.		\vdash	орет.	Ш	орст.		
SBC-9a SBC-12	(Hiawatha Seam) (16-7-13-1)	Active Inactive; initiate when mining begins it	oper	oper. field	-		oper. field		oper.		
	<u> </u>	Mohrland				$\vdash \vdash$					
SBC-14	(WHR-6)	Active		oper.			орет.		oper.		
SBC-15	(WHR-5)	Active	\vdash	field	Ш		field	 	field		
SBC-16 SBC16A	(WHR-4) ^{6,7}	Active Active		field	 		field field		field field		
	7			field	1	l		igwdapsilon			
SBC-16B	<u>'</u>	Active		field	Ш	\vdash	field		field		
SBC-17	(16-7-24-4)	Active	oper	oper.			oper.		oper.		
SBC-18	(WHR-2) ⁷	Inactive; initiate when active mining it Mine #4 or Mohrland area is within 500		field			field		field		
SBC-20	(16-8-18-4)	Inactive, initiate when active mining to Mine #4 or Mohrland area is within 500		field			field		field		
SBC-21	(16-8-18-1) ⁷	Innetive; initiate when active mining it Mine #4 or Mehrland area is within 500		field	П	\sqcap	field		field		
SBC-22	(Stockwater Trough)	Inactive; initiate when active mining it Mine #4 is within 500		field	 	$\vdash \uparrow$	field	\vdash	field		
SCC-1	(16-8-20-1)	Inactive, initiate when active mining it		field	\vdash	$\vdash \vdash$	field	┝╌┤	field		
		Mine #4 or Mohrland area is within 500									
SCC-2	(16-8-18-5) ⁷	Inactive; initiate when active mining it Mine #4 or Mohrland area is within 500		field			field		field		
SCC-3	(Mohriand Portal)	Active		field ⁵	Н	\vdash	field	\vdash	field		
SCC-5	(16-8-7-3)	Inactive; initiate when active mining it Mohrland area is within 500 fee		field			field		field		
SMH-1	(FBC-6)	Inactive - Initiate if mining in Lease U 46481 or U-024316		field			field		field		
SMH-2	(FBC-5)	Inactive - Initiate if mining in Lease U 46481 or U-024316		field			field		field		
SMH-3	(FBC-13)	Inactive - Initiate if mining in Lease U 46481 or U-024316		field			field		field		
SMH-4	(FBC-4)	Inactive - Initiate if mining in Lease U 46481 or U-024316		field			field		field		
SMH-5	(Stockwater Trough)	Inactive Initiate if portal accessing U 61048 and U 61049 is opened.		field			field		field		
Wells SBC-3	(Creek Well)	Active	-1					- т	_		
SDH-2	(Well Sec. 11, T16S, R7E)	Inactive - Initiate if mining in Lease U	oper	oper. level ⁵	\vdash		peт. level	\vdash	oper. level	_	
	(Well Sec. 10, T16S, R7E)	46481 or U-024316 Inactive - Initiate if mining in Lease U	-	level	\vdash	ш	level		level		
	(Well Sec. 18, T16S, R8E)	46481 or U-024316 Active	+	level ⁵	\vdash		level	\sqcup	level		
MW-114 MW-117	(Well Sec. 18, 1168, R8E)	Active		level ⁵	\vdash		level		level		
MIW-11/	(WEH 300. 12, 1103, KBE)	Active		1 1 iever		ئىلىسا		L	W-1C1		

Notes: 1. See Tables 7-13 and 7-17 for listing of water quality monitoring parameters.

- 2. oper. = operational base. = baseline
- $3. \ \ Expanded \ List parameters taken in August of year 5 prior to each permit renewal.$
- 4. SBC-4 and SBC-5 shall also be tested for oil and grease
- 5. First sample to be taken in May or June, when Gentry Mountain is accessible.
- 6. A comment will be made regarding the level of the pond feeding the spring.
- Weekly monitoring to begin one month prior to mining in area and continue until one mouth after.
 Monthly monitoring will then be done for an additional six months.

Table 7-17 Surface Water Quality Parameter List

Field Measurements:

- * Water Levels or Flow
- * pH
- * Specific Conductivity (μmhos/cm)
- * Temperature (°C)

Laboratory Measurements: (mg/L) (Major, minor ions and trace elements are to be analyzed in dissolved form only

doorator.	j iviousuror	(mg/2)	(1.10)	or,					
	*	-	^	Dissolved Oxygen					
#	*	-	^	Total Settleable Solids					
#	*	-	^	Total Suspended Solids					
	*	-	^	Total Dissolved Solids					
	8	-	^	Total Hardness (as CaCO ₃)					
		-		Aluminum (Al)					
		-		Arsenic (As)					
		-	^	Boron (B)					
		-	^	Carbonate (CO ₃)					
		-	^	Bicarbonate (HCO ₃)					
		_		Cadmium (Cd)					
		-	^	Calcium (Ca)					
		-	^	Chloride (Cl)					
		-		Copper (Cu)					
	*	-	^	Iron (Fe) (Total and Dissolved)					
		-		Lead (Pb)					
		-	^	Magnesium (Mg)					
	*	-	^	Manganese (Mn) (Total and Dissolved)					
		-		Molybdenum (Mo)					
		-		Nitrogen, Ammonia (NH ₃)					
		- "		Nitrite (NO ₂)					
		-		Nitrate (NO ₃)					
		_	^	Potassium (K)					
		_		Phosphate (PO ₄)					
		_	^	Selenium (Se)					
		_	^	Sodium (Na)					
		_	^	Specific Conductivity (µmhos/cm)					
		_	^	Sulfate (SO ₄)					
		_		Zinc (Zn)					
#	*	_	^	Oil and Grease (if visible sheen)					
,,		-	^	Cation-Anion Balance					
1.	Dania da								

Sampling Period:

- Baseline
- * Operation, Post-mining
- # Construction
- ^ Expanded List

<u>Undermining of Perennial Streams.</u> There are two areas where perennial streams will be undermined. They are the upper reaches of the right fork and left fork of Fish Creek.

The left fork is fed by one watershed and several springs. FC-7 and FC-6 are surface monitoring sites in this watershed, however flow has only been observed at these points during major storm events and spring runoff. Most of the year the streams are dry above the confluence of the major springs feeding it. These springs are SBC-18, SBC-20, and SBC-21, with SBC-21 being the largest. The confluence of these springs with the mainstream channel is inaccessible.

The right fork of Fish creek has two splits and is fed by three watersheds. The left split of the stream channel has base flow fed by SCC-5. This point also marks the start of the perennial section. The center split base flow is fed by SCC-2 which also marks the start of the perennial section for the center split. The right split is dry except during spring runoff or large storm events. However, during wet years water may flow from site FC-5 (Mudd Spring). Because of this FC-5 was selected as a start of the perennial section of the right split. Site FC-3 marks the property line between private and federal property, and FC-2 was selected to monitor off site impacts.

In these areas Castle Valley Mining will increase the monitoring of these sites to a weekly basis one month prior to mining in the area. This weekly monitoring will continue until one month after mining has left the area. Monitoring will then be reduced to once a month for an additional 6 months at which time it will resume its normal schedule. This increased monitoring will include the sites FC-2, FC-3, FC-4, FC-5, and SCC-2 for the right fork of Fish Creek, and FC-1, FC-6, SBC-16, SBC-16A, SBC-16B, SBC-18, SBC-20, and SBC-21 for the left fork of Fish Creek. The actual start time will be determined based on continual underground surveying that is required by MSHA. During the monitoring weekly reports will be sent to the division via email.

Table 7-14 Water Monitoring Matrix: Operational Phase of Mining

		-			,		,						.
Location	<u> </u>	Statu	Jan	Feb	Mar	May	June	July	Aug³	Sept	Oct	Nov	Dec
Streams	(Linner Bear Creek)		J					_		·	r	г —	_
BC-1	(Upper Bear Creek)	Activ	1	oper		oper.			oper.	-	oper.		-
BC-2 BC-3	(Lower Bear Creek)	Activ	-	oper		oper.			oper.	ļ	oper.	_	 —
BC-3 BC-4	(Lower Rt Fork Bear Creek) (Upper Rt Fork Bear Creek)	Activ	1	oper	\vdash	орет.			орет.		oper.	-	
		Activ	1	oper	\vdash	oper.		-	oper.		орег.		<u> </u>
CK-1	(Upper Cedar Creek)	Activ	1-	oper	<u> </u>	oper.	<u> </u>	\vdash	oper.		oper.		
CK-2 MH-1	(Lower Cedar Creek) (Lower McCadden Hollow Creek)	Active Inactive - Initiate if mining in Lease U		oper	-	oper. field	<u> </u>		oper. field	-	oper. field		-
MILI-1	(Lower McCadden Hollow Creek)	46481 or U-024316				пею	l		neia		пен		
MH-2	(Upper McCadden Hollow Creek)	Inactive - Initiate if mining in Lease U				field			field		field		1
FC-1		46481 or U-024316 Active			<u> </u>	C.16			field		6.14		<u> </u>
	(Lower Left Fork Fish Creek)	1	Ш			field					field		
FC-2	(Lower Right Fork Fish Creek) ⁷	Active				field			field		field		
FC-3	(Right Fork Fish Creek Property Line)	Active				field			field		field		
			Ш										
FC-4	(Upper Right Fork Fish Creek) ⁷	Active	1			field			field		field		
FC-5	(Mud Spring) ⁷	Inactive; initiate when mining T16	1			field			field		field		-
	(mai Spring)	R8E Sec											
FC-6	(Upper Left Fork Fish Creek) ⁷	Active	1 1			field			field		field		
FC-7	(Water Right Upper Left Fork Fish Creek)	Active				field			field		field		
FC-8	(Water Right Upper Left Fork Fish Creek)	Active				field			field		field		
Springs					Ll							L	
SBC-4	(Big Bear Springs) ⁴	Active		oper		орег.			oper.		oper.		
SBC-5		Active	$\vdash \vdash$	oper									_
	(Birch Spring) ⁴					oper.			oper.		oper.		_
SBC-9a	(Hiawatha Seam)	Active	Ш	орет		oper.			oper.		oper.		ļ
SBC-12	(16-7-13-1)	Inactive; initiate when mining begins i Mohrland				field			field		field		
SBC-14	(WHR-6)	Active				орег.		-	oper.		oper.		
SBC-15	(WHR-5)	Active				field			field		field		
SBC-16	(WHR-4) ^{6,7}	Active	Н			field ⁵			field		field		
SBC16A	7	Active				field			field		field		
SBC-16B	7	Active				field		_	field		field		
SBC-17	(16-7-24-4)	Active		oper		oper.			oper.		oper.		
\$BC-18	(WHR-2) ⁷	Active Begin sampling within 500				field'		- 1	field		field		
		In 4 Mine or Mohrland											
SBC-20	(16-8-18-4)	Active				field'			field		field		
		Begin sampling within 500' In 4 Mine or Mohrland				ı		1					
SBC-21	(16-8-18-1) ⁷	Active			\dashv	field		\dashv	field		field		
	(10-0-10-1)	Begin sampling within 500'						1					
CDC 00	(C)	In 4 Mine or Mohrland Active	\vdash			~ 5			field		field		
SBC-22	(Stockwater Trough)	Begin sampling within 500'		l		field		- [nesa		neia		
		In 4 Mine											
SCC-1	(16-8-20-1)	Inactive; initiate when active mining is				field			field		field		
		Mine #4 or Mohrland area is within 500	l		- 1								
SCC-2	(16-8-18-5) ⁷	Active				field		\neg	field		field		
	(100105)	Begin sampling within 500° In 4 Mine or Mohrland		- 1	1								
SCC-3	(Mohrland Portal)	Active				field ⁵		-	field		field		
SCC-5	(16-8-7-3)	Inactive; initiate when active mining in				field		\dashv	field		field		
500-5	(10 0 1-3)	Mohrland area is within 500 fee		l		ARAG.							
SMH-1	(FBC-6)	Inactive - Initiate if mining in Lease U			\neg	field'	\neg	\neg	field		field		
SMH-2	(FBC-5)	46481 or U-024316 Inactive - Initiate if mining in Lease U	\vdash			field ⁵		-	field		field		
51 11 2	(100 0)	46481 or U-024316			_	45.00							
SMH-3	(FBC-13)	Inactive - Initiate if mining in Lease U				field			field		field		
SMH-4	(FBC-4)	46481 or U-024316 Inactive - Initiate if mining in Lease U	\vdash			field ⁵			field		field	-	
SiviF1-4	(rDC→)	46481 or U-024316				пена			neau		neiu		
SMH-5	(Stockwater Trough)	Active				field	İ	\neg	field		field		
Wells					1								
	(Creek Well)	Active	,									т	
	(Well Sec. 11, T16S, R7E)	Inactive - Initiate if mining in Lease U	\dashv	oper		oper.		-	oper. level		oper. level		
อมก-2	(WGL 300. 11, 1103, K/E)	46481 or U-024316		1	- 1	evei	1		ACVE1		ICVCI		
					$\overline{}$	-							•
	(Well Sec. 10, T16S, R7E)	Inactive - Initiate if mining in Lease U			1	level ⁵	1	- 1	level	- 1	level	- 1	
SDH-3		46481 or U-024316											
SDH-3 MW-114	(Well Sec. 10, T16S, R7E) (Well Sec. 18, T16S, R8E) (Well Sec. 12, T16S, R8E)	Inactive - Initiate if mining in Lease U 46481 or U-024316 Active Active				level ⁵ level ⁵			level		level		

lotes:

- 1. See Tables 7-13 and 7-17 for listing of water quality monitoring parameters.
- 2. oper. = operational base. = baseline
- 3. Expanded List parameters taken in August of year 5 prior to each permit renewal.
- 4. SBC-4 and SBC-5 shall also be tested for oil and grease
- 5. First sample to be taken in May or June, when Gentry Mountain is accessible.
- $6. \ \ A \ comment \ will \ be \ made \ regarding \ the \ level \ of \ the \ pond \ feeding \ the \ spring.$
- Weekly monitoring to begin one month prior to mining in area and continue until one month after.
 Monthly monitoring will then be done for an additional six months.

Table 7-17 Surface Water Quality Parameter List

*	-	Water Levels or Flow
*	-	pН
*	-	Specific Conductivity (µmhos/cm)
*	-	Temperature (°C)
		•

Laboratory Measurements: (mg/L) (Major, minor ions and trace elements are to be analyzed in dissolved form only

	*		٨	Bisselved Owner					
		-		Dissolved Oxygen					
#	*	-	٨	Total Settleable Solids					
#	*	-	^	Total Suspended Solids					
	*	-	۸	Total Dissolved Solids					
		-	^	Total Hardness (as CaCO ₃)					
		-		Aluminum (Al)					
		-		Arsenic (As)					
		-	۸	Boron (B)					
		-	^	Carbonate (CO ₃)					
		-	^	Bicarbonate (HCO ₃)					
		-		Cadmium (Cd)					
		-	^	Calcium (Ca)					
		-	^	Chloride (Cl)					
		-		Copper (Cu)					
	*	-	^	Iron (Fe) (Total and Dissolved)					
		-		Lead (Pb)					
		-	^	Magnesium (Mg)					
	*	-	^	Manganese (Mn) (Total and Dissolved)					
		-		Molybdenum (Mo)					
		-		Nitrogen, Ammonia (NH ₃)					
		-		Nitrite (NO ₂)					
		-		Nitrate (NO ₃)					
		- ,	^	Potassium (K)					
		-		Phosphate (PO ₄)					
		-	^	Selenium (Se)					
		-	^	Sodium (Na)					
		-	^	Specific Conductivity (µmhos/cm)					
		-	^	Sulfate (SO ₄)					
		-		Zinc (Zn)					
#	*	-	^	Oil and Grease (if visible sheen)					
		-	^	Cation-Anion Balance					

Sampling Period:

- Baseline
- * Operation, Post-mining
- # Construction
- ^ Expanded List

<u>Undermining of Perennial Streams.</u> There are two areas where perennial streams will be undermined. They are the upper reaches of the right fork and left fork of Fish Creek.

The left fork is fed by one watershed and several springs. FC-7 and FC-6 are surface monitoring sites in this watershed, however flow has only been observed at these points during major storm events and spring runoff. Most of the year the streams are dry above the confluence of the major springs feeding it. These springs are SBC-18, SBC-20, and SBC-21, with SBC-21 being the largest. The confluence of these springs with the mainstream channel is inaccessible.

The right fork of Fish creek has two splits and is fed by three watersheds. The left split of the stream channel has base flow fed by SCC-5. This point also marks the start of the perennial section. The center split base flow is fed by SCC-2 which also marks the start of the perennial section for the center split. The right split is dry except during spring runoff or large storm events. However, during wet years water may flow from site FC-5 (Mudd Spring). Because of this FC-5 was selected as a start of the perennial section of the right split. Site FC-3 marks the property line between private and federal property, and FC-2 was selected to monitor off site impacts.

In these areas Castle Valley Mining will increase the monitoring of these sites to a weekly basis one month prior to mining in the area. This weekly monitoring will continue until one month after mining has left the area. Monitoring will then be reduced to once a month for an additional 6 months at which time it will resume its normal schedule. This increased monitoring will include the sites FC-2, FC-3, FC-4, FC-5, and SCC-2 for the right fork of Fish Creek, and FC-1, FC-6, SBC-16, SBC-16A, SBC-16B, SBC-18, and SBC-21 for the left fork of Fish Creek. The actual start time will be determined based on continual underground surveying that is required by MSHA. During the monitoring weekly reports will be sent to the division via email.